

inflatable boats

Fiberglass and Aluminum Hulls



carib  **marine**
Caribbean Tough

Fiberglass RIBs

Caribbean *Tough*


Carib Marine Rigid Inflatable Boats (RIBs) are made of a lightweight construction that is quick to plane and easy to handle. The V-section fiberglass hull cuts through chop and ensures an enjoyable, stable and dry ride. All our Carib Marine RIBs are made with the Pennel Orca® 215 or 820 fabric which is well-known for its exceptional properties:

- Superb ozone, UV and weather resistance
- Resistance to oil, grease and solvents
- Resistance to abrasion
- Resistance to impact, cutting, gouging and other types of physical abuse
- Resistance to decolorization
- Resistance to staining and soiling



5 YEARS

limited warranty
on hull and tubes



CSM exterior for toughness

Heavy duty Nylon or Polyester core

Two layers of Neoprene® for unsurpassed air retention

Built-in Pennel Orca® 215 or 820, unmatched quality Hypalon material for superior resistance and longer life.



EYE FOR DETAILS

Single Floor RIBs

Caribbean Tough



CRB/HIF-HSR310



Lightweight, easy to handle and reliable

Our base models are made for the cost-conscious boater who still wants performance. They are equipped with a sturdy, single, non-skid floor and roomy interior to hold plenty of cargo. The built-in davit pad-eyes come factory installed and these models have three lifting points.



CRB/HIF-HSR250

Specifications

| Model | CRB/HIF-HSR250 | CRB/HIF-HSR310 |
|-----------------|-----------------------|------------------------|
| Overall length | 2.50m (8'6") | 3.10m (10'2") |
| Overall width | 1.60m (5'3") | 1.60m (5'3") |
| Approx. weight | 50kg (110Lb) | 70kg (154Lb) |
| Max load* | 450kg (992Lb) | 600kg (1323Lb) |
| Outboard (Max.) | 5hp (short shaft 15") | 15hp (short shaft 15") |
| Inside length | 1.72m (5'7") | 2.34m (7'8") |
| Inside width | 0.7m (2'4") | 0.7m (2'4") |
| Tube diameter | 43cm (17") | 43cm (17") |
| Pax. | 2 | 3.5 |
| Chambers | 3 | 3 |
| Floor | Single | Single |
| Hypalon | Orca 215 | Orca 215 |
| Bow locker | No | No |

Double Floor RIBs

Caribbean Tough



These models have an ultra-strong double floor and a watertight forward storage compartment. Roomy interior affords plenty of cargo space and the lightweight construction tops the performance of larger, heavier RIBs.

Designed to deliver the perfect balance between functionality and performance, impressive both at rest and on the move.

The pronounced bow-sheer, V keel, large tube diameter and full-length lifting strakes of this series guarantees a great sea-going vessel and a smooth dry ride. It provides an ideal platform for use as a dive boat, rescue/response boat or coach/support boat.

Specifications

| Model | CRB/HIF-HJ300BL | CRB/HIF-HFP330 | CRB/HIF-HFP330BL | CRB/HIF-HJ360BL | CRB/HIF-HJ390BL | CRB/HIF-HSF420 | CRB/HIF-HSF470 |
|------------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|-----------------|
| Overall length | 3.00m (9'8") | 3.30m (10'8") | 3.30m (10'8") | 3.60m (11'8") | 3.90m (12'8") | 4.20m (13'8") | 4.70m (15'5") |
| Overall width | 1.75m (5'7") | 1.65m (5'7") | 1.65m (5'7") | 1.75m (5'7") | 1.75m (5'7") | 2m (6'6") | 2.05m (6'8") |
| Approx. weight | 88kg (194Lb) | 67.5kg (149Lb) | 70kg (154Lb) | 100kg (220Lb) | 115kg(254Lb) | 216kg (476.2Lb) | 242 kg (533Lb) |
| Max load* | 500kg (1102Lb) | 600kg (1323Lb) | 600kg (1323Lb) | 650kg (1433Lb) | 650kg (1433Lb) | 950kg (2194Lb) | 1250kg (2756Lb) |
| Outboard (Max.) | 15hp (short 15") | 20hp (short 15") | 20hp (short 15") | 25hp (short 15") | 30hp (long 20") | 40hp (long 20") | 60hp (long 20") |
| Inside length | 1.93m (6'3") | 2.31m (7'5") | 2.31m (7'5") | 2.55m (8'3") | 3.00m (9'8") | 2.91m (9'5") | 3.30m (10'9") |
| Inside width | 0.84m (2'7") | 0.75m (2'4") | 0.75m (2'4") | 0.84m (2'7") | 0.85m (2'8") | 1.01m (3'3") | 1.01m (3'3") |
| Tube diameter | 45cm (17.7") | 42cm (16.5") | 42cm (16.5") | 45cm (17'7") | 45cm(17.7") | 51cm (20") | 52cm (20.5") |
| Pax. | 4 | 4 | 4 | 5 | 5 | 6 | 8 |
| Chambers | 3 | 3 | 3 | 3 | 3 | 4 | 6 |
| Floor | Double | Double | Double | Double | Double | Double | Double |
| Hypalon | Orca 215 | Orca 215 | Orca 215 | Orca 820 | Orca 820 | Orca 820 | Orca 820 |
| Bow locker | Yes | No | Yes | Yes | Yes | Yes | Yes |

Customize your RIB

Caribbean Tough




CRB/SSCL-CMX-400

CRB/HIF-HFJ-CS

CRB/SSCL-CMX-410-450

CRB/SSCL-CMX-480-580

CRB/HIF-AL-CS



CRB/SSCL-BKSMX-400/0

CRB/HIF-HFE-ST

CRB/HIF-HFK-LP

CRB/SSCLA2008
CRB/SSCLA2011

Adapt to your needs

All larger sized units can be open as is or outfitted with consoles and backseats for more comfort.

Consoles

| | |
|----------------------|---------------------------|
| CRB/SSCL-CMX-400 | Console, f/MX-400/0 RIB |
| CRB/HIF-HFJ-CS | Console, f/HSF420 RIB |
| CRB/SSCL-CMX-410-450 | Console, f/MX-410-450 RIB |
| CRB/SSCL-CMX-480-580 | Console, f/MX-480-580 RIB |
| CRB/HIF-AL-CS | Console, f/CRB dinghy |

Back seats and Bow steps

| | |
|----------------------|-----------------------------------|
| CRB/SSCL-BKSMX-400/0 | Backseat, f/MX-400/0 RIB |
| CRB/HIF-HFE-ST | Seat, f/CRB dinghy |
| CRB/HIF-HFK-LP | Leaming post, f/CRB dinghy |
| CRB/SSCLA2008 | Bow Step, w/Roller Guide f/MX-480 |
| CRB/SSCLA2011 | Bow Step, w/Roller Guide f/MX-580 |

ONE CONCEPT - THREE OPTIONS



1

Open



2

Console / Single



3

Console / Front Seat

Aluminum RIBs

Caribbean Tough



CRB/HIF-SR290BL



CRB/HIF-SR360BL

Large choice of model sizes, with or without bow lockers, at unmatched prices.

Designed to deliver the perfect balance of functionality and performance. The aluminum Sea Rover series is the perfect choice for boaters who demand lightweight RIBs combined with unsurpassed stability and comfort. Large choice of model sizes, with or without bow lockers, at unmatched prices.

Specifications

| Model | CRB/HIF-SR250 | CRB/HIF-SR270 | CRB/HIF-SR290 | CRB/HIF-SR290BL | CRB/HIF-SR320 | CRB/HIF-SR320BL | CRB/HIF-SR360BL | CRB/HIF-SR380BL | CRB/HIF-SR420BL |
|------------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|
| Overall length | 2.50m (8'2") | 2.70m (8'1") | 2.90m (9'6") | 2.90m (9'6") | 3.20m (10'5") | 3.20m (10'5") | 3.60m (11'8") | 3.80m (12'5") | 4.20m (13'9") |
| Overall width | 1.52m (5') | 1.52m (5') | 1.59m (5'1") | 1.59m (5'1") | 1.59m (5'1") | 1.59m (5'1") | 1.59m (5'1") | 1.86m (6'1") | 1.87m (6'2") |
| Approx. weight | 44kg (97Lb) | 47kg (104Lb) | 54kg (119Lb) | 54kg (119Lb) | 64kg (141Lb) | 64kg (141Lb) | 72kg (158.7Lb) | 81kg (178.5Lb) | 88kg (194Lb) |
| Max Load | 450kg (992Lb) | 450kg (992Lb) | 450kg (992Lb) | 450kg (992Lb) | 500kg (1102Lb) | 500kg (1102Lb) | 650kg (1433Lb) | 700kg (1543Lb) | 900kg (1984Lb) |
| Outboard (Max.) | 5hp (short 15") | 6hp (short 15") | 10hp (short 15") | 10hp (short 15") | 15hp (short 15") | 15hp (short 15") | 25hp (short 15") | 25hp (long 20") | 50hp (long 20") |
| Inside length | 1.40m (4'7") | 1.40m (4'7") | 1.95m (6'4") | 1.95m (6'4") | 2.21m (7'3") | 2.21m (7'3") | 2.54m (8'4") | 2.67m (8'9") | 3.00m (9'10") |
| Inside width | 62cm (2') | 62cm (2') | 67cm (2'2") | 67cm (2'2") | 67cm (2'2") | 67cm (2'2") | 67cm (2'2") | 86cm (2'7") | 88cm (2'8") |
| Tube diameter | 36cm (14.2") | 36cm (14.2") | 42cm (16.5") | 42cm (16.5") | 42cm (16.5") | 42cm (16.5") | 42cm (16.5") | 45cm (17.7") | 45cm (17.7") |
| Pax. | 2 | 3.5 | 4 | 4 | 4.5 | 4.5 | 5.5 | 5 | 7 |
| Chambers | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| Floor | Double | Double | Double | Double | Double | Double | Double | Double | Double |
| Hypalon | Orca 215 | Orca 215 | Orca 215 | Orca 215 | Orca 215 | Orca 215 | Orca 215 | Orca 820 | Orca 820 |
| Bow locker | No | No | No | Yes | No | Yes | Yes | Yes | Yes |

Foldable RIBs

Caribbean Tough



CRB/HIF-HSD290AL

Great performance and easy to store

HSD Series is one of the best-selling range of inflatable Roll-Up tenders. Its inflatable keel delivers efficient tracking when rowing, towing or under motor, while also providing greater performance from a roll-away boat.

Standard Equipment:

- A pair of aluminum oars
- Marine grade plywood seat (one piece)
- Foot pump
- Repair kit
- Carry bag



Specifications

| Model | CRB/HIF-HSD290AL | CRB/HIF-HSD360AL | CRB/HIF-HSD380AL |
|-----------------|---------------------|---------------------|---------------------|
| Overall length | 2.90m (9'6") | 3.60m (10'5") | 3.80m (12'5") |
| Overall width | 1.55m (5'10") | 1.55m (5'10") | 1.70m (5'7") |
| Approx. weight | 52kg (114Lb) | 55kg (121Lb) | 78kg (172Lb) |
| Max load | 510kg (1124Lb) | 566kg (1247Lb) | 727kg (1603Lb) |
| Outboard (Max.) | 10hp (short 15") | 15hp (short 15") | 20hp (short 15") |
| Inside length | 1.85m (6'1") | 2.12m (6'11") | 2.62 (6'11") |
| Inside width | 68cm (2'2") | 68cm (2'2") | 80cm (2'8") |
| Tube diameter | 42cm (16.5") | 42cm (16.5") | 45cm (17.7") |
| Pax. | 4 | 4.5 | 6 |
| Chambers | 3+1 | 3+2 | 3+1 |
| Floor | Aluminum panels | Aluminum panels | Aluminum panels |
| Hypalon | Orca 215 | Orca 215 | Orca 215 |
| Bow locker | No | No | No |
| Packed sizes | 106 x 63,5 x 35,5cm | 119 x 76,2 x 40,6cm | 119 x 76,2 x 40,6cm |



Available at

Budget Marine Antigua | English Harbour

The Compton Building
Dockyard Drive, St.Paul's
Antigua and Barbuda
T: 1-268-562-8443
antigua@budgetmarine.com

Budget Marine Antigua | Jolly Harbour

Jolly Harbour Boatyard
Bolans
Antigua and Barbuda
T: 1-268-462-8753
antigua@budgetmarine.com

Budget Marine Antigua | North Sound

North Sound Marina
Crabbs Peninsula
Antigua & Barbuda
T: 1-268-562-8753
antigua@budgetmarine.com

Budget Marine | Aruba

Balashi 75-B
Oranjestad
Aruba
T: 1-297-585-3796
aruba@budgetmarine.com

Budget Marine | Bonaire

Kaya Neerlandia 21
Kralendijk, Bonaire
Dutch Caribbean
T: +599-717-3710
bonaire@budgetmarine.com

Budget Marine | Carriacou

Tyrell Bay Marina
Carriacou
T: +1-473-443-1983
Whatsapp: +1-473-421-5930
carriacou@budgetmarine.com

Budget Marine | Cartagena

Calle 32 No. 18C-131
Avenida Pedro de Heredia,
Sector El Espinal. Cartagena
T: +57-323-229-3652
cartagena@budgetmarine.com

Budget Marine | Curaçao

Caracasbaaiweg 202
Curaçao
Dutch Caribbean
T: +5999-462-7733
curacao@budgetmarine.com

Budget Marine | Grenada

Spice Island Marina
True Blue
St.Georges, Grenada
T: 1-473-439-1983
grenada@budgetmarine.com

Budget Marine | St.Kitts

CAP Southwell Industrial Park
Basseterre
Saint Kitts and Nevis
T: 1-869-466-0026
st.kitts@budgetmarine.com

Budget Marine | St. Maarten

Waterfront Road 25B
Cole Bay, St. Maarten
Dutch Caribbean
T: 1-721-544-3134
stmaarten@budgetmarine.com

Budget Marine | St. Thomas

6198 Estate Frydenhoj
St. Thomas,
U.S. Virgin Islands
T: 1-340-779-2219
stthomas@budgetmarine.com

Budget Marine | Trinidad

Western Main Road
Chaguaramas
Trinidad and Tobago
T: 1-868-634-2006
trinidad@budgetmarine.com

** Loaded weight as mentioned in the tables should include everything except hull.
All the specifications on those sheets are CE certified.*

*** The "St.Maarten List" price is based on the sticker price in St.Maarten. Due to local taxes and duties, prices in our various locations may differ from the catalog price, and we can explain the differences to you. All locations within the Budget Marine Group are committed to giving you the best possible price. Yachts In Transit, Export Customers and Non Residents that provide proof of this status can apply for St.Maarten Offshore pricing.*

For more information about our RIBs
and other great Carib Marine products,
visit our website: caribmarine.com



**Official distributor
for Carib Marine products**

